




**NO MORE SOLVENTS • NO MORE MESS
NO MORE WASTED TIME**

AQUEOUS PARTS WASHERS

**MADE IN THE
USA!**

2412 SERIES



LIGHT DUTY

Cuda's 2412 series of parts washers is an attractive entry-level top-load aqueous parts washer. At only 35 inches wide, the Cuda 2412 Series parts washer has a 250-lb. load capacity, and a 24 inch turntable diameter. While boasting Cuda Series durability. The 115V models make the 2412 especially versatile for use anywhere in the shop.

- Ideal for replacing sink on drum solvent tanks
- Small engine repair
- General light duty auto repair

- Close Coupled Sealed Pump: ½ HP / 20 GPM / 22 PSI
- 250 Lbs. Load Capacity, determined with even weight distribution
- 25 Gal. Sump Capacity
- 4.5 kW Heater / 1.8 kW Heater for 115V model
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 41"L x 35"W x 45"H
- Shipping: 55"L x 48"W x 58"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	HP	Electric Heater (kW)	Ship Wt (lbs)
Standard Models								
2412	1.043-540.0	12"	24"	115/1	15	½	1.8	424
2412	1.043-542.0	12"	24"	230/1	24	½	4.5	424
2412	1.043-541.0	12"	24"	208/1	26	½	4.5	424
Stainless Steel Models								
2412	1.043-543.0	12"	24"	115/1	15	½	1.8	424
2412	1.043-545.0	12"	24"	230/1	24	½	4.5	424
2412	1.043-544.0	12"	24"	208/1	26	½	4.5	424

Standard Accessories

Part No.	Description
8.642-702.0	Preferred Options Package - Contains Small Parts Basket, Containment Ring, Oil Container

Optional Accessories

Part No.	Description	Part No.	Description
8.725-261.0	Automatic Water Fill	8.924-172.0	Oil Drain Container
8.705-962.0	24" Containment Ring	8.915-143.0	60 Mesh Insert for Debris Screen Tray
8.725-245.0	Deluxe Kit: Detail and Power Brush	9.802-283.0	Hour Meter
8.725-251.0	Detail Brush with Pump	8.642-692.0	Heater Timer, 24 hour 7 day (230V only)
8.642-699.0	Pneumatic Power Brush	8.642-694.0	Heater & Skimmer Timer, 24 hour 7 day
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12"x 6")	8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")
8.642-689.0	Filtration		

Stainless Optional Accessories

Part No.	Description
8.642-690.0	Stainless Filtration

2518 SERIES



MEDIUM DUTY

The 2518 Series is at the top of our line with ruggedness and automation throughout. It comes standard with a time-tested chain drive assembly, virtually maintenance-free vertical seal-less pump, and disc oil skimmer that can be automated for convenience in disposing of oil. Extra-easy access to the sump and removable debris screen set it apart from other top-loaders on the market.

- Vertical / Seal-less Pump: 3 HP / 50 GPM / 45 PSI
- 500 Lbs. Load Capacity, determined with even weight distribution
- 50 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 51"L x 40"W x 50"H
- Shipping: 66"L x 57"W x 59"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2518	1.043-565.0	18"	25"	230/1	38	869
2518	1.043-564.0	18"	25"	208/1	42	869
2518	1.043-567.0	18"	25"	230/3	23	869
2518	1.043-566.0	18"	25"	208/3	25	869
2518	1.043-568.0	18"	25"	460/3	11	869
2518	1.043-569.0	18"	25"	575/3	9	869

NOTE: Stainless steel models coming soon.

Standard Accessories

Part No.	Description
8.725-260.0	Preferred Options Package - Contains Parts Basket, Containment Ring, Oil Container

Optional Accessories

Part No.	Description	Part No.	Description
8.725-261.0	Automatic Water Fill	8.642-890.0	25" Containment Ring, Stainless Steel
8.731-256.0	25" Containment Ring	8.915-316.0	60 Mesh Insert for Debris Screen Tray
8.725-246.0	Deluxe Kit: Detail and Power Brush	8.725-267.0	Heater Timer, 24 hour 7 day
8.725-252.0	Detail Brush with Pump	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.642-699.0	Pneumatic Power Brush	9.802-283.0	Hour Meter
8.924-172.0	Oil Drain Container	8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")
8.725-253.0	Filtration	8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")
8.725-254.0	Filtration & Sump Sweep	8.723-214.0	Gray Spray Paint (cannot ship air)

2530 SERIES



MEDIUM DUTY

The Cuda 2530 is the smallest in the front-load automatic parts washer models and is smaller than many solvent tanks. Featuring a turntable diameter of 25-inches, working height of 30-inches, and load capacity of 500 lbs. The 2530 Series is equipped with a 3 HP vertical seal-less pump producing 50 GPM at 45 PSI.

- Ideal for auto dealers and repair facilities with less than 7 techs
- Low volume transmission and diesel repair
- Many other applications from amusement parks to ski areas.

- Vertical / Seal-less Pump: 3 HP / 50 GPM / 45 PSI
- 500 Lbs. Load Capacity, determined with even weight distribution
- 40 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 48"L x 45"W x 74"H
- Shipping: 66"L x 57"W x 79"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2530	1.043-372.0	30"	25"	230/1	38	985
2530	1.043-368.0	30"	25"	208/1	42	985
2530	1.043-365.0	30"	25"	230/3	23	985
2530	1.043-369.0	30"	25"	208/3	25	985
2530	1.043-366.0	30"	25"	460/3	11	985
2530	1.043-367.0	30"	25"	575/3	9	985
Stainless Steel Models						
2530	1.043-491.0	30"	25"	230/1	38	985
2530	1.043-489.0	30"	25"	208/1	42	985
2530	1.043-486.0	30"	25"	230/3	23	985
2530	1.043-490.0	30"	25"	208/3	25	985
2530	1.043-487.0	30"	25"	460/3	11	985
2530	1.043-488.0	30"	25"	575/3	9	985

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Accessories

Part No.	Description
8.914-906.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories

Part No.	Description	Part No.	Description
8.915-113.0	Automatic Water Fill	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.731-256.0	25" Containment Ring	8.915-143.0	60 Mesh Insert for Debris Screen Tray
8.915-145.0	Filtration	8.915-120.0	Two-Tier Turntable ●
8.915-144.0	Filtration & Sump Sweep	8.922-951.0	Stainless Steel Handle Kit, assembled
8.751-001.0	Adjustable Parts Tree - Medium	8.924-172.0	Oil Drain Container
8.725-267.0	Heater Timer, 24 hour 7 day	9.802-283.0	Hour Meter
8.757-650.0	Premium Detail and Power Brush	8.731-254.0	Small Parts Basket - Light Duty (8" X 8" X 4")
8.901-881.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump	8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")
		8.723-214.0	Gray Spray Paint (cannot ship air)

● Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
	Stainless Two-Tier Turntable		Stainless Pump Motor
8.751-001.1	Stainless Adjustable Parts Tree - Medium		Stainless Oil Bucket
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled

Note: Stainless filtration - please call 1-844-394-4412 for more information.

2840 SERIES



MEDIUM DUTY

The Cuda 2840 is the next larger size in the front-load automatic parts washer models. The 2840 features a turntable diameter of 28-inches, working height of 40-inches, and load capacity of 1000 lbs. The 2840 Series is equipped with a 3 HP vertical seal-less pump producing 50 GPM at 45 PSI.

- **Ideal for larger auto dealers and repair shops**
- **Higher volume transmission and diesel repair shops**
- **Smaller loader tractor implement dealers.**

- Vertical / Seal-less Pump: 3 HP / 50 GPM / 45 PSI
- 1,000 Lbs. Load Capacity, determined with even weight distribution
- 50 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 51"L x 50"W x 80"H
- Shipping: 66"L x 57"W x 95"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2840	1.043-395.0	40"	28"	230/1	38	1100
2840	1.043-416.0	40"	28"	208/1	42	1100
2840	1.043-418.0	40"	28"	230/3	23	1100
2840	1.043-417.0	40"	28"	208/3	25	1100
2840	1.043-419.0	40"	28"	460/3	11	1100
2840	1.043-420.0	40"	28"	575/3	9	1100
Stainless Steel Models						
2840	1.043-492.0	40"	28"	230/1	38	1100
2840	1.043-493.0	40"	28"	208/1	42	1100
2840	1.043-498.0	40"	28"	230/3	23	1100
2840	1.043-494.0	40"	28"	208/3	25	1100
2840	1.043-496.0	40"	28"	460/3	11	1100
2840	1.043-497.0	40"	28"	575/3	9	1100

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Accessories

Part No.	Description
8.915-493.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories

Part No.	Description	Part No.	Description
8.915-113.0	Automatic Water Fill	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.705-957.0	28" Containment Ring	8.915-316.0	60 Mesh Insert for Debris Screen Tray
8.915-378.0	Filtration	8.915-351.0	Two-Tier Turntable ●
8.915-379.0	Filtration & Sump Sweep	8.924-172.0	Oil Drain Container
8.751-001.0	Adjustable Parts Tree - Medium	9.802-283.0	Hour Meter
8.725-267.0	Heater Timer, 24 hour 7 day	8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")
8.757-650.0	Premium Detail and Power Brush	8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")
8.901-881.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump	8.723-214.0	Gray Spray Paint (cannot ship air)

- Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
	Stainless Two-Tier Turntable		Stainless Pump Motor
8.751-001.1	Stainless Parts Tree		Stainless Oil Bucket
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled

Note: Stainless filtration - please call 1-844-394-4412 for more information.

Effective February 15, 2022. Prices, specifications and product descriptions subject to change without notice.

2848 SERIES



Shown with options

MEDIUM DUTY

The Cuda 2848 features a turntable diameter of 28-inches, working height of 48-inches, and load capacity of 1000 lbs. The 2848 Series is equipped with a 5 HP vertical seal-less pump producing 110 GPM at 50 PSI.

- Ideal for OTR truck and diesel repair facilities
- 6 cylinder diesel engines
- Implement dealers with larger 4-wheel drive tractors.

- Vertical / Seal-less Pump: 5 HP / 110 GPM / 50 PSI
- 1,000 Lbs. Load Capacity, determined with even weight distribution
- 50 Gal. Sump Capacity
- 9 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 51"L x 50"W x 88"H
- Shipping: 66"L x 57"W x 95"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2848	1.043-422.0	48"	28"	230/1	58	1065
2848	1.043-421.0 ‡	48"	28"	208/1	64	1065
2848	1.043-394.0	48"	28"	230/3	36	1065
2848	1.043-423.0	48"	28"	208/3	40	1065
2848	1.043-424.0	48"	28"	460/3	17	1065
2848	1.043-425.0	48"	28"	575/3	14	1065
Stainless Steel Models						
2848	1.043-482.0	48"	28"	230/1	58	1065
2848	1.043-481.0	48"	28"	208/1	64	1065
2848	1.043-480.0	48"	28"	230/3	36	1065
2848	1.043-483.0	48"	28"	208/3	40	1065
2848	1.043-484.0	48"	28"	460/3	17	1065
2848	1.043-485.0	48"	28"	575/3	14	1065

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel. ‡ Longer lead time may apply.

Standard Accessories

Part No.	Description
8.915-493.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories

Part No.	Description	Part No.	Description
8.915-113.0	Automatic Water Fill	8.915-316.0	60 Mesh Insert for Debris Screen Tray
8.705-957.0	28" Containment Ring	8.725-267.0	Heater Timer, 24 hour 7 day
8.915-378.0	Filtration	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.915-379.0	Filtration & Sump Sweep	8.924-172.0	Oil Drain Container
8.916-114.0	12" Height Extension	9.802-283.0	Hour Meter
8.751-001.0	Adjustable Parts Tree - Medium	8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")
8.915-352.0	Two-Tier Turntable ●	8.753-825.0	Medium Parts Basket -Light Duty (16" x 12" x 6")
8.757-650.0	Premium Detail and Power Brush	8.753-826.0	Large Parts Basket - Medium Duty (18" x 16" x 8")
8.901-881.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump	8.723-214.0	Gray Spray Paint (cannot ship air)

● Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
	Stainless Two-Tier Turntable		Stainless Pump Motor
8.751.001.1	Stainless Adjustable Parts Tree - Medium		Stainless Oil Bucket
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled

Note: Stainless filtration - please call 1-844-394-4412 for more information.

3648 SERIES



HEAVY DUTY

The Cuda 3648 features a turntable diameter of 36-inches, working height of 48-inches, and load capacity of 2500 lbs. The 3648 Series is equipped with a 7.5 HP vertical seal-less pump producing 150 GPM at 50 PSI, and has a 113-gallon sump capacity. It also includes upgraded features such as a more durable control panel, easier to replace handle, stainless steel sump covers, and external plumbing making it the easiest to maintain Cuda yet!

- Ideal for large OTR diesel repair shops
- Large implement dealers
- Construction equipment repair, and engine rebuilders.

- Vertical / Seal-less Pump: 7.5 HP / 150 GPM / 50 PSI
- 2,500 Lbs. Load Capacity, determined with even weight distribution
- 113 Gal. Sump Capacity
- (2) 9 kW Heaters
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 57"L x 49"W x 94"H
- Shipping: 63"L x 76"W x 100"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
3648	1.043-477.0	48"	36"	230/3	58	1770
3648	1.043-508.0	48"	36"	208/3	67	1770
3648	1.043-478.0	48"	36"	460/3	32	1770
3648	1.043-479.0	48"	36"	575/3	28	1770
Stainless Steel Models						
3648	1.043-507.0	48"	36"	230/3	58	1770
3648	1.043-509.0	48"	36"	208/3	67	1770
3648	1.043-506.0	48"	36"	460/3	32	1770
3648	1.043-505.0	48"	36"	575/3	28	1770

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Accessories

Part No.	Description
8.922-632.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories

Part No.	Description	Part No.	Description
8.749-394.0	Automatic Water Fill	8.749-395.0	60 Mesh Insert for Debris Screen Tray
8.753-767.0	36" Containment Ring	8.725-267.0	Heater Timer, 24 hour 7 day
8.921-972.0	2 Stage Filtration	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.921-973.0	Filtration & Sump Sweep, 2 Stage	8.924-172.0	Oil Drain Container
8.751-025.0	Adjustable Parts Tree - Large	9.802-283.0	Hour Meter
8.921-971.0	Two-Tier Turntable ●	8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")
8.757-650.0	Premium Detail and Power Brush	8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")
8.749-397.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump	8.753-826.0	Large Parts Basket - Medium Duty (18" x 16" x 8")
		8.723-214.0	Gray Spray Paint (cannot ship air)

● Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
	Stainless Two-Tier Turntable		Stainless Pump Motor
8.751-025.1	Stainless Adjustable Parts Tree - Large		Stainless Oil Bucket
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled

Note: Stainless filtration - please call 1-844-394-4412 for more information.

4860 SERIES



HEAVY DUTY

The Cuda 4860 features a turntable diameter of 48-inches, working height of 60-inches, and load capacity of 5000 lbs. The 4860 Series is equipped with a 7.5 HP vertical seal-less pump producing 200 GPM at 50 PSI, and has a 156-gallon sump capacity.

- Ideal for large engine rebuilders
- Large diesel OTR truck repair and dealers
- Construction equipment repair
- Large implement dealers

- Vertical / Seal-less Pump: 7.5 HP / 200 GPM / 50 PSI
- 5,000 Lbs. Load Capacity, determined with even weight distribution
- 156 Gal. Sump Capacity
- (2) 9 kW Heaters
- Automatic Oil Skimmer
- Low Water Shutdown
- Optional 12" Height Extension
- Machine: 75"L x 66"W x 105"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
4860	1.043-444.0	60"	48"	230/3	55	2457
4860	1.043-519.0	60"	48"	208/3	60	2457
4860	1.043-445.0	60"	48"	460/3	32	2457
4860	1.043-446.0	60"	48"	575/3	26	2457
Stainless Steel Models						
4860	1.043-510.0	60"	48"	230/3	55	2457
4860	1.043-520.0	60"	48"	208/3	60	2457
4860	1.043-511.0	60"	48"	460/3	32	2457
4860	1.043-512.0	60"	48"	575/3	26	2457

Note: Standard 4860 ships by flatbed and does not qualify for free freight.

Standard Accessories

Part No.	Description
8.916-220.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories

Part No.	Description	Part No.	Description
8.749-394.0	Automatic Water Fill	8.749-492.0	Two-Tier Turntable •
8.749-392.0	48" Containment Ring	8.725-267.0	Heater Timer, 24 hour 7 day
8.916-341.0	2 Stage Filtration	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.916-342.0	Filtration & Sump Sweep, 2 Stage	8.924-172.0	Oil Drain Container
8.916-365.0	12" Height Extension	9.802-283.0	Hour Meter
8.749-395.0	60 Mesh Insert for Debris Screen Tray	8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")
8.751-025.0	Adjustable Parts Tree - Large	8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")
8.757-650.0	Premium Detail and Power Brush	8.753-826.0	Large Parts Basket - Medium Duty (18" x 16" x 8")
8.749-397.0	Deluxe Kit: Detail and Power Brush with Side Sink	8.723-214.0	Gray Spray Paint (cannot ship air)

• Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Standard Accessories

Part No.	Description
	Steel Reinforced Door/Cabinet/Apron – Turntable has a floor grate top - Built to last!

Stainless Optional Accessories

Part No.	Description	Part No.	Description
	Stainless Two-Tier Turntable		Stainless Pump Motor
8.751-025.1	Stainless Adjustable Parts Tree - Large		Stainless Oil Bucket
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled

Note: Stainless filtration - please call 1-844-394-4412 for more information.

7248 SERIES



Approx. scale to
7248 model

HEAVY DUTY

Cuda's 7248 features a large 72-inch turntable diameter, allowing users to clean a wide range of industrial components. Its working height stands at 48-inches, and it boasts a load capacity of 5000 lbs. The 7248 series is equipped with a 7.5 HP vertical seal-less pump producing 160 GPM at 45 PSI, and has a 200-gallon sump capacity.

- Ideal for heavy duty cleaning
- Oil and gas industry tools and BOP's
- High volume engine rebuilding
- Railroads and large manufacturing

- Vertical / Seal-less Pump: 7.5 HP / 160 GPM / 45 PSI
- 5,000 Lbs. Load Capacity, determined with even weight distribution
- 200 Gal. Sump Capacity
- (2) 9 kW Heaters
- Automatic Oil Skimmer
- Low Water Shutdown
- Roll-In Door
- Push Button Table Jog
- Rear Forklift Extension Pockets protect electrical equipment
- Stainless Steel Sump Access Door
- Machine: 100"L x 85"W x 100"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
7248	1.043-516.0	48"	72"	230/3	58	3200
7248	1.043-517.0	48"	72"	460/3	32	3200
7248	1.043-518.0	48"	72"	575/3	26	3200

NOTE: Standard 7248 series ships shrink wrapped on a flatbed and require the contact name and telephone number of the recipient. Does not qualify for the free freight program. Allow additional transit time.

Optional Accessories

Part No.	Description	Part No.	Description
8.749-394.0	Automatic Water Fill	8.725-267.0	Heater Timer, 24 hour 7 day
8.923-103.0	72" Containment Ring	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.921-972.0	2 Stage Filtration	9.802-283.0	Hour Meter
8.923-102.0	Filtration & Sump Sweep	8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")
8.924-172.0	Oil Drain Container	8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")
8.924-191.0	60 Mesh Insert for Debris Screen Tray	8.753-826.0	Large Parts Basket - Medium Duty (18" x 16" x 8")
8.941-104.0	Middle Spray Arm, Detachable	8.723-214.0	Gray Spray Paint (cannot ship air)
8.757-650.0	Premium Detail and Power Brush		

SJ SERIES



MEDIUM DUTY

The newest addition to the Cuda top load line-up, the SJ-15 uses a patented spray wash technology which eliminates the need for a drive motor, gears and pulleys. Using a water-propelled spray arm with 23 nozzles that spin around a stationary parts basket, parts are hit from every angle while being cleaned. It has a 350-lb. load capacity, and a basket dimension of 32" x 21", 90 gallon sump capacity, 3 HP pump motor delivering 37 GPM @ 30 PSI.

- Vertical / Seal-less Pump: 3 HP / 37 GPM / 30 PSI
- 350 Lbs. Load Capacity, determined with even weight distribution
- 90 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Heater Timer (7 day / 24 hour)
- Machine: 51"L x 48"W x 49"H
- Shipping: 72"L x 65"W x 59"H



Technical data

Model	Part No.	Working Height	Basket Dimensions	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
SJ-15	1.043-648.0	18"	32" x 21"	230/1	38	1035
SJ-15	1.043-649.0	18"	32" x 21"	230/3	23	1035
SJ-15	1.043-650.0	18"	32" x 21"	460/3	11	1035
SJ-15	1.043-651.0	18"	32" x 21"	575/3	9	1035
SJ-15	1.043-646.0	18"	32" x 21"	208/1	42	1035
SJ-15	1.043-647.0	18"	32" x 21"	208/3	25	1035

Optional Accessories

Part No.	Description	Part No.	Description
8.725-284.0	Automatic Water Fill	9.804-631.0	Pressure Gauge
8.725-276.0	Pneumatic Power Brush	8.712-156.0	Temperature Gauge
8.725-278.0	Detail Brush with Pump	8.725-281.0	Service Tray
8.924-172.0	Oil Drain Container	8.725-282.0	Tool Basket with Tools (includes 3 brushes, 1 scraper)
8.725-283.0	Skimmer Timer, 24 hour 7 day	8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")
9.802-283.0	Hour Meter	8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")
8.915-585.0	Porta Kleen Mobile Filter, 120V	8.723-214.0	Gray Spray Paint (cannot ship air)

SJ SERIES
Coming Soon



Cuda Cleaning Systems detergents contain advanced formulas engineered specifically for use in aqueous parts washers. Our advanced formulas include an exclusive multi-metal corrosion inhibitor for rust-protection.

	Part No.	Size	Ship Wt	Description
SMP-1000 Soft Metal Powder	1.014-040.0	40 lbs	42 lbs	Our scented light to medium duty general purpose detergent for plastic, rubber, aluminum, copper, steel, stainless steel and brass. SMP-1000 is powerful detergent specifically formulated to penetrate difficult to remove oil, grease, tar, carbon deposits and heavy soil on soft metal parts.
	1.014-400.0	400 lb Drum	415 lbs	
	1.014-040.1	48 x 40-lb Pails	1920 lbs	
	Pallet orders receive up to \$500 freight credit			Ships non-hazardous.
CUDA 1993 The Original	1.017-050.40	40 lbs	43 lbs	Cuda 1993 Original is simply the most effective and powerful non-hazardous, biodegradable cleaning detergent on the market. It is a safe multi-metal, alkaline powdered detergent engineered to produce superior cleaning results for aqueous process parts cleaning. Cuda Original performs in all solvent-free, aqueous industrial parts washers and includes a strong rust inhibitor and defoaming agent which eliminates the need for additional products.
	1.017-450.0	450 lbs	469 lbs	
	1.017-050.1	48 x 40-lb Pails	2445 lbs	
	Pallet orders receive up to \$500 freight credit			Ships non-hazardous.
LRL-1000 Low Residue Liquid	8.698-096.0	5 gal	46 lbs	Effective Cleaning with a Low Residue Finish LRL-1000 effectively removes contaminants and leaves the part's surface ready for assembly, paint, and applications where a fine finish is required. Phosphate-free, this detergent is optimized to remove cutting oils, grease, and moderate soil loads and can be used on a wide variety of materials including iron, steel, stainless steel, aluminium, brass, copper and plastic parts. RECOMMENDED USES: Manufacturing, aerospace, re-manufacturing, final cleaning. Ships non-hazardous.
	8.698-097.0	55 gal	513 lbs	
MPW-1000 Manual Parts Washer Detergent	8.905-727.0	5 gal	43 lbs	Worker Contact Safe with a Pleasant Citrus Aroma MPW-1000 is a biodegradable, moderate pH, water-based liquid detergent formulated to remove greases, oils and grime that can be used on most surfaces, including steel, stainless steel, brass, aluminium, copper and plastics. Low-cost disposal and peace of mind that it's environmentally friendly. RECOMMENDED USES: Industries using manual parts washer or aqueous parts sinks.
	8.905-727.5	55 gal	510 lbs	
Phosphatizer (liquid)	8.698-008.0	5 gal	51 lbs	One and Done A complete one-step detergent and phosphatizing system for cleaning metal parts and preparing them for painting. RECOMMENDED USES: Use on iron and steel, prep parts for painting.
	8.698-009.0	55 gal	543 lbs	
Defoamer (liquid)	1.016-001.0	4 x 1-gal case	36 lbs	A fast-acting, additive that suppresses foam build up in soak tanks and automatic parts washers. RECOMMENDED USES: Compatible with any metal, painted or plastic pieces that can be cleaned in a parts washer.
	1.016-005.0	5 gal	51 lbs	
	1.016-055.0	55 gal	520 lbs	
Paint and Powder Coat Remover (liquid)	8.905-720.0	5 gal	51 lbs	An alkaline stripper, quickly and effectively dissolves all types of paint and powder coatings. RECOMMENDED USES: Removes paint from iron and steel, not intended for use on aluminum, magnesium or galvanized metals.
Vapor Corrosion Inhibitor VCI (liquid)	1.015-001.0	4 x 1-gal case	36 lbs	A superior blend of rust and corrosion inhibitors that give outstanding protection in both the liquid and vapor phase. RECOMMENDED USES: Protects steel and prevents rust and corrosion in automatic parts washers and the metal parts being cleaned.
	1.015-005.0	5 gal	46 lbs	
	1.015-055.0	55-gal	493 lbs	
Detergent Scoop	8.712-896.0	16 oz.		White Detergent Scoop

PARTS LIST

COMMON PART NUMBERS: 15 MIN TIMER - 87141630 12 HOUR TIMER - 87128330 CR1 RELAY - 87133480
30 MIN TIMER - 87133570 NO REED - 98041180 RELAY BASE - 87133550
60 MIN TIMER - 87128320 NC REED - 98041190

MODEL	V	PH	MFR P/N	TURNTABLE MOTOR	SKIMMER MOTOR	HEATING ELEMENT	PUMP	HEAT CONTACTOR	PUMP CONTACTOR	PUMP OVERLOAD	HEAT FUSE	PUMP FUSE
2216	115	1	10434510	87253710	89046760	87137230	87153950	87508640	87508640	N/A	87148360	N/A
2216	230	1	10434520	87253710	89046760	87128130	87153950	87142900	87508660	87508740	87133690	87149120
2216	208	1	10434530	87253710	89046760	87128130	87153950	87142900	87508660	87508740	87133690	87149120
2216	230	3	10434540	87253710	89046760	87139190	87153960	87508630	87508660	87508720	87132880	87138780
2216	460	3	10434550	87253710	89046760	87141710	87153960	87508640	87508660	87508710	87130660	87130640
2216	575	3	10434560	87253710	89046760	87144540	87153990	87508640	87508660	87508700	87135290	87130690
2216	208	3	10434570	87253710	89046760	87491520	87153960	87508630	87508660	87508720	87133690	87138780
2412	115	1	10435400	87253710	89046760	87141870	87153980	87508640	87508660	N/A	87148360	N/A
2412	208	1	10435410	87253710	89046760	87128130	87153980	87142900	87508660	N/A	87133690	87132870
2412	230	1	10435420	87253710	89046760	87128130	87153980	87142900	87508660	N/A	87133690	87132870
2518	230	1	10433420	87253710	89046760	87166460	87154130	87142900	87508630	87508750	87132910	87132930
2518	208	1	10433800	87253710	89046760	87144910	87154130	87142900	87508630	87508750	87144510	87132930
2518	230	3	10433430	87253710	89046760	87132530	87154140	87508640	87508640	87508740	87132880	87132870
2518	208	3	10433810	87253710	89046760	87145810	87154140	87508640	87508640	87508740	87133690	87132870
2518	460	3	10433440	87253710	89046760	87132540	87154140	87508640	87508640	87508720	87130660	87135290
2518	575	3	10433450	87253710	89046760	87133980	87154150	87508640	87508640	87508710	87135290	87137750
2530	230	1	10433720	87253710	89046760	87166460	87154130	87142900	87508630	87508750	87132910	87132930
2530	208	1	10433680	87253710	89046760	87144910	87154130	87142900	87508630	87508750	87144510	87132930
2530	230	3	10433650	87253710	89046760	87132530	87154140	87508640	87508640	87508740	87132880	87132870
2530	208	3	10433690	87253710	89046760	87145810	87154140	87508640	87508640	87508740	87133690	87132870
2530	460	3	10433660	87253710	89046760	87132540	87154140	87508640	87508640	87508720	87130660	87135290
2530	575	3	10433670	87253710	89046760	87133980	87154150	87508640	87508640	87508710	87135290	87135390
2840	230	1	10433950	87253710	89046760	87166460	87154130	87142900	87508630	87508750	87132910	87132930
2840	208	1	10434160	87253710	89046760	87144910	87154130	87142900	87508630	87508750	87144510	87132930
2840	230	3	10434180	87253710	89046760	87132530	87154140	87508640	87508640	87508740	87132880	87132870
2840	208	3	10434170	87253710	89046760	87145810	87154140	87508640	87508640	87508740	87133690	87132870
2840	460	3	10434190	87253710	89046760	87132540	87154140	87508640	87508640	87508720	87130660	87135290
2840	575	3	10434200	87253710	89046760	87133980	87154150	87508640	87508640	87508710	87135290	87135390
2848	230	1	10434220	87253710	89046760	87129540	87154210	87508670	87143940	87508760	87132940	87132840
2848	208	1	10434210	87253710	89046760	87491910	87491920	87508670	87143940	87508760	87132940	87132840
2848	230	3	10433940	87253710	89046760	87129540	87154220	87508670	87508640	87508750	87132910	87132930
2848	208	3	10434230	87253710	89046760	87491910	87154220	87508670	87508640	87508750	87132910	87132930
2848	460	3	10434240	87253710	89046760	87131790	87154220	87508640	87508640	87508730	87130630	87130670
2848	575	3	10434250	87253710	89046760	87131780	87154240	87508640	87508640	87508720	87130670	87130660
3648	230	3	10434770	87137300	89046760	87129540	87536930	87242760	87242810	87243040	87494320	89162790
3648	460	3	10434780	87137300	89046760	87131790	87536930	87242680	87242720	87243120	87495530	87495540
3648	575	3	10434790	87137300	89046760	87131780	87536940	87242680	87242720	87243030	87495550	87495560
4860	230	3	10434440	87137300	89046760	87129540	87350110	87508680	87508670	87508760	87494320	89162790
4860	460	3	10434450	87137300	89046760	87131790	87350110	87508670	87508640	87508740	87495530	87495540
4860	575	3	10434460	87137300	89046760	87131780	87495440	87508670	87508640	87508730	87495530	87495560
SJ-15	230	1	10434580	N/A	89046760	87166460	87154130	87508630	87508640	87508750	87132910	87132930
SJ-15	230	3	10434590	N/A	89046760	87132530	87154140	87508630	87508630	87508740	87132880	87132870
SJ-15	460	3	10434600	N/A	89046760	87132540	87154140	87508640	87508640	87508740	87130660	87135290
SJ-15	575	3	10434610	N/A	89046760	87144540	87154150	87508660	87508660	87508710	87135290	87135390
SJ-15	208	1	10434620	N/A	89046760	87148910	87154130	87508630	87508640	87508750	87144510	87132930
SJ-15	208	3	10434630	N/A	89046760	87145810	87154140	87508630	87508640	87508740	87133690	87132870

MODEL	V	PH	TRANSFORMER	PRIMARY FUSE	SECONDARY FUSE	TORQUE LIMITER	T-STAT	FLOATS	CHAINS	NOZZLES (QTY)
2216	115	1	N/A	87148360	N/A	87140080	87135930	87065180	87128580	87127750 (3)
2216	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87128580	87128700 (2)
2216	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87128580	87129730 (2)
2216	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87128580	N/A
2216	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87128580	N/A
2216	575	3	87139070	87130810	87130780	87140080	87130300	87065180	87128580	N/A
2216	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87128580	N/A
2412	115	1	N/A	N/A	N/A	N/A	87135930	87142260	N/A	87127770 (5) 87142020 (3)
2412	208	1	87168950	87132860	87130780	N/A	87135930	87142260	N/A	87127770 (5) 87142020 (3)
2412	230	1	87168750	87132860	87130780	N/A	87135930	87142260	N/A	87127770 (5) 87142020 (3)
2518	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87139560	87129730 (9)
2518	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87139560	87129730 (9)
2518	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2518	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2518	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2518	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2530	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87141510	87127750 (12) 87080750 (2)
2530	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87141510	87127750 (12) 87080750 (2)
2530	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87141510	87127750 (12) 87080750 (2)
2530	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87141510	87127750 (12) 87080750 (2)
2530	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87141510	87127750 (12) 87080750 (2)
2530	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87141510	87127750 (12) 87080750 (2)
2840	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87141500	87127750 (12) 87080750 (2)
2840	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87141500	87127750 (12) 87080750 (2)
2840	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87141500	87127750 (12) 87080750 (2)
2840	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87141500	87127750 (12) 87080750 (2)
2840	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87141500	87127750 (12) 87080750 (2)
2840	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87141500	87127750 (12) 87080750 (2)
2848	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87141500	87129730 (18) 87491930 (22) 87080750 (2)
2848	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87141500	**87491930 is w/12" ext.** 87080750 (2)
2848	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87141500	87129730 (18) 87491930 (22) 87080750 (2)
2848	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87141500	**87491930 is w/12" ext.** 87080750 (2)
2848	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87141500	87129730 (18) 87491930 (22) 87080750 (2)
2848	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87141500	**87491930 is w/12" ext.** 87080750 (2)
3648	230	3	87139110	87139200	87135740	87140090	87135930	87121320	87537930	87129730 (21) 87080750 (2)
3648	460	3	87139110	87136860	87135740	87140090	87135930	87547180	87537930	87129730 (21) 87080750 (2)
3648	575	3	87141840	87136860	87135740	87140090	87135930	87547180	87537930	87129730 (21) 87080750 (2)
4860	230	3	87139110	87139200	87135740	87140090	87130300	87065180	87129880	87129730 (26) 87080750 (2)
4860	460	3	87139110	87136860	87135740	87140090	87130300	87065180	87129880	87129730 (26) 87080750 (2)
4860	575	3	87141840	87136860	87135740	87140090	87130300	87065180	87129880	87129730 (26) 87080750 (2)
SJ-15	230	1	87168750	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	230	3	87168750	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	460	3	87168750v	87130800	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	575	3	87139070	87130800	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	208	1	87168950	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	208	3	87168950	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOTES

[illegible]

Contact us for more information:

Cuda Cleaning Systems

PO Box 846, 600 21st St. SW
Watertown, SD 57201

For sales and technical support call:
844-394-4412 (toll free)

Please send all sales inquiries and purchase orders to:
sales@cudausa.com